



PT. TALI REJEKI

Jl. Raya Tarumajaya RT.001 RW.029
Dusun III No.11 Desa Setia Asih
Kec. Tarumajaya, Kab. Bekasi 17215

SOUND PROOFING & INSULATION

Specialist

Telp : 021 29470622 / 22889956
Fax : 021 29470622
Email : talirejeki@gmail.com

Starting July 2025 **CALSIUM SILICATE PIPE**

LENGTH = 610 mm

PIPE		25 MM THICK			
NSP (IN)	INTDIA (MM)	PC/SET	PC/CTN	M ³ /PC	M ³ /SET
¼	16	2	81	0,0010	0,0020
½	23	2	72	0,0012	0,0023
¾	28	2	64	0,0013	0,0025
1	35	2	56	0,0015	0,0029
1¼	44	2	46	0,0017	0,0033
1½	50	2	42	0,0018	0,0036
2	62	2	34	0,0021	0,0042
2½	77	2	30	0,0025	0,0049
3	90	2	24	0,0028	0,0055
3½	103	2	18	0,0031	0,0061
4	115	2	17	0,0034	0,0067
4½	128	2	14	0,0037	0,0073
5	143	2	12	0,0040	0,0080
5½	155	2	11	0,0043	0,0086
6	171	2	10	0,0047	0,0094
7	196	3	18	0,0035	0,0106
8	222	3	15	0,0039	0,0118
9	246	3	14	0,0043	0,0130
10	275	4	19	0,0036	0,0144
11	300	4	18	0,0039	0,0156
12	327	4	16	0,0042	0,0169
13	339	4	16	0,0044	0,0174
14	358	4	16	0,0046	0,0183
15	384	4	15	0,0049	0,0196
16	409	5	18	0,0042	0,0208
17	435	5	18	0,0044	0,0220
18	460	6	20	0,0039	0,0232
19	486	6	18	0,0041	0,0245
20	511	6	18	0,0043	0,0257
24	613	7	19	0,0044	0,0306
26	664	8	19	0,0041	0,0330
28	715	8	19	0,0044	0,0355
30	766	9	20	0,0042	0,0379
32	817	9	20	0,0045	0,0403
36	919	11	20	0,0041	0,0452
40	1022	12	20	0,0042	0,0502
42	1073	12	20	0,0044	0,0526
72	1836	20	20	0,0045	0,0892

CALSIUM SILICATE BOARD SLAB

300 x 610 mm	22 Pcs / Ctn	0,0046
150 x 610 mm	44 Pcs / Ctn	0,0023

Note: Highlighted size is not available due to several reasons.



PT. TALI REJEKI

Jl. Raya Tarumajaya RT.001 RW.029
Dusun III No.11 Desa Setia Asih
Kec. Tarumajaya, Kab. Bekasi 17215

SOUND PROOFING & INSULATION

Specialist

Telp : 021 29470622 / 22889956
Fax : 021 29470622
Email : talirejeki@gmail.com

Starting July 2025
CALSIUM SILICATE PIPE

LENGTH = 610

PIPE		30 MM THICK			
NSP (IN)	INTDIA (MM)	PC/SET	PC/CTN	M ³ /PC	M ³ /SET
¼	16	2	64	0,0013	0,0026
½	23	2	56	0,0015	0,0030
¾	28	2	49	0,0017	0,0033
1	35	2	42	0,0019	0,0037
1¼	44	2	38	0,0022	0,0043
1½	50	2	33	0,0023	0,0046
2	62	2	28	0,0027	0,0053
2½	77	2	24	0,0031	0,0062
3	90	2	18	0,0035	0,0069
3½	103	2	17	0,0038	0,0076
4	115	2	14	0,0042	0,0083
4½	128	2	12	0,0046	0,0091
5	143	2	12	0,0050	0,0099
5½	155	2	10	0,0053	0,0106
6	171	2	9	0,0058	0,0116
7	196	2	7	0,0065	0,0130
8	222	3	12	0,0048	0,0145
9	246	3	11	0,0053	0,0159
10	275	3	10	0,0058	0,0175
11	300	4	13	0,0048	0,0190
12	327	4	13	0,0051	0,0205
13	339	4	13	0,0053	0,0212
14	358	4	13	0,0056	0,0224
15	384	5	16	0,0048	0,0238
16	409	5	14	0,0050	0,0252
17	435	5	14	0,0053	0,0267
18	460	6	15	0,0047	0,0282
19	486	6	15	0,0050	0,0297
20	511	6	15	0,0052	0,0311
24	613	7		0,0053	0,0369
44	1124	13	17	0,0051	0,0663

CALSIUM SILICATE BOARD
SLAB

300 x 610 mm	18 Pcs / Ctn	0,0055
150 x 610 mm	36 Pcs / Ctn	0,0027

Note: Highlighted size is not available due to several reasons.



PT. TALI REJEKI

Jl. Raya Tarumajaya RT.001 RW.029
Dusun III No.11 Desa Setia Asih
Kec. Tarumajaya, Kab. Bekasi 17215

SOUND PROOFING & INSULATION

Specialist

Telp : 021 29470622 / 22889956
Fax : 021 29470622
Email : talirejeki@gmail.com

Starting July 2025

CALSIUM SILICATE PIPE

LENGTH = 610 mm

PIPE		40 MM THICK			
NPS (IN)	INTDIA (MM)	PC/SET	PC/CTN	M3/PC	M3/SET
1/4	16	2	36	0,0022	0,0043
1/2	23	2	36	0,0024	0,0048
3/4	28	2	32	0,0026	0,0052
1	35	2	30	0,0029	0,0057
1 1/4	44	2	25	0,0032	0,0064
1 1/2	50	2	22	0,0035	0,0069
2	62	2	20	0,0039	0,0078
2 1/2	77	2	18	0,0045	0,0090
3	90	2	14	0,0050	0,0100
3 1/2	103	2	12	0,0055	0,0110
3 3/4	112	2	11	0,0059	0,0117
4	115	2	11	0,0060	0,0119
4 1/4	132	2	9	0,0066	0,0132
4 1/2	128	2	9	0,0065	0,0129
5	143	2	9	0,0070	0,0140
5 1/2	155	2	7	0,0075	0,0149
6	171	2	7	0,0081	0,0162
7	196	3	11	0,0060	0,0181
8	222	3	10	0,0067	0,0201
9	246	3	8	0,0073	0,0219
9 1/2	257	3	8	0,0076	0,0228
10	275	3	8	0,0080	0,0241
11	300	4	10	0,0065	0,0261
12	327	4	10	0,0070	0,0281
13	339	5	10	0,0058	0,0291
14	358	4	9	0,0076	0,0305
15	384	5	12	0,0065	0,0325
16	409	5	12	0,0069	0,0344
16 1/2	420	5	11	0,0071	0,0353
17	435	6	11	0,0061	0,0363
18	460	6	12	0,0064	0,0383
19	486	6	12	0,0067	0,0403
19 1/2	496	6	11	0,0069	0,0411
20	511	6	11	0,0070	0,0422
21 1/2	546	7	11	0,0064	0,0449
22	562	7	11	0,0066	0,0461
23	588	7	12	0,0069	0,0481
23 1/2	597	7	12	0,0070	0,0488
24	613	7	12	0,0072	0,0501



PT. TALI REJEKI

Jl. Raya Tarumajaya RT.001 RW.029
Dusun III No.11 Desa Setia Asih
Kec. Tarumajaya, Kab. Bekasi 17215

SOUND PROOFING & INSULATION

Specialist

Telp : 021 29470622 / 22889956
Fax : 021 29470622
Email : talirejeki@gmail.com

Starting July 2025

CALSIUM SILICATE PIPE

LENGTH = 610 mm

PIPE		40 MM THICK			
NPS (IN)	INTDIA (MM)	PC/SET	PC/CTN	M3/PC	M3/SET
25	639	8	12	0,0065	0,0520
26	664	8	12	0,0068	0,0540
27	689	8	12	0,0070	0,0559
27½	699	8	12	0,0071	0,0566
28	715	9	12	0,0064	0,0579
30	766	9	12	0,0069	0,0618
31½	801	10	12	0,0065	0,0645
32	817	10	12	0,0066	0,0657
33½	852	10	12	0,0068	0,0684
34	868	11	12	0,0063	0,0696
36	919	11	12	0,0067	0,0735
37½	948	11	13	0,0069	0,0757
38	970	11	13	0,0070	0,0774
40	1022	12	13	0,0068	0,0814
42	1073	12	13	0,0071	0,0853
44	1124	13	13	0,0069	0,0892
48	1230	14	13	0,0068	0,0946

CALSIUM SILICATE BOARD

SLAB

300 x 610 mm	14 Pcs / Ctn	0,0073
150 x 610 mm	28 Pcs / Ctn	0,0037

Note: Highlighted size is not available due to several reasons.



PT. TALI REJEKI

Jl. Raya Tarumajaya RT.001 RW.029
Dusun III No.11 Desa Setia Asih
Kec. Tarumajaya, Kab. Bekasi 17215

SOUND PROOFING & INSULATION

Specialist

Telp : 021 29470622 / 22889956
Fax : 021 29470622
Email : talirejeki@gmail.com

Starting July 2025 **CALSIUM SILICATE PIPE**

LENGTH = 610 mm

PIPE		50 MM THICK			
NPS (IN)	INTDIA (MM)	PC/SET	PC/CTN	M3/PC	M3/SET
1/4	16	2	26	0,0032	0,0063
1/2	23	2	23	0,0035	0,0070
3/4	28	2	23	0,0038	0,0075
1	35	2	20	0,0041	0,0081
1 1/4	44	2	16	0,0045	0,0090
1 1/2	50	2	16	0,0048	0,0096
2	62	2	14	0,0054	0,0107
2 1/2	77	2	12	0,0061	0,0122
3	90	2	10	0,0067	0,0134
3 1/2	103	2	9	0,0074	0,0147
4	115	2	8	0,0079	0,0158
4 1/2	128	2	8	0,0086	0,0171
5	143	2	8	0,0093	0,0185
5 1/2	155	2	7	0,0098	0,0196
6	171	2	6	0,0106	0,0212
7	196	3	9	0,0079	0,0236
8	222	3	8	0,0087	0,0261
9	246	3	7	0,0095	0,0284
10	275	4	9	0,0078	0,0311
11	300	4	8	0,0084	0,0335
12	327	4	8	0,0090	0,0361
13	339	5	9	0,0075	0,0373
14	358	5	9	0,0078	0,0391
15	384	5	9	0,0083	0,0416
16	409	5	9	0,0088	0,0440
16 1/2	420	5	9	0,0090	0,0450
17	435	6	10	0,0078	0,0465
18	460	6	10	0,0082	0,0489
19	486	6	9	0,0086	0,0514
19 1/2	496	6	9	0,0087	0,0523
20	511	6	9	0,0090	0,0538
21 1/2	546	7	10	0,0082	0,0571
22	562	7	10	0,0084	0,0586
23	588	7	10	0,0087	0,0611
23 1/2	597	8	10	0,0078	0,0620
24	613	8	10	0,0079	0,0635
25	639	8	10	0,0083	0,0660
25 1/2	648	8	10	0,0084	0,0669
26	664	8	10	0,0086	0,0684
27	689	8	10	0,0089	0,0708
28	715	9	10	0,0081	0,0733



PT. TALI REJEKI

Jl. Raya Tarumajaya RT.001 RW.029
Dusun III No.11 Desa Setia Asih
Kec. Tarumajaya, Kab. Bekasi 17215

SOUND PROOFING & INSULATION

Specialist

Telp : 021 29470622 / 22889956
Fax : 021 29470622
Email : talirejeki@gmail.com

Starting July 2025

CALSIUM SILICATE PIPE

LENGTH = 610 mm

PIPE		50 MM THICK			
NPS (IN)	INTDIA (MM)	PC/SET	PC/CTN	M3/PC	M3/SET
28½	720	9	10	0,0082	0,0738
29½	750	9	10	0,0085	0,0767
30	766	9	10	0,0087	0,0782
32	817	10	10	0,0083	0,0831
34	868	10	10	0,0088	0,0880
36	919	11	10	0,0084	0,0928
36½	925	11	10	0,0085	0,0934
38	970	11	10	0,0089	0,0977
40	1022	12	10	0,0086	0,1027
42	1073	12	10	0,0090	0,1076
44	1124	13	10	0,0087	0,1125
46	1174	13	10	0,0090	0,1173
48	1230	14	10	0,0088	0,1226
52	1360	15	10	0,0090	0,1351
54	1382	16	10	0,0086	0,1372
56	1423	17	10	0,0084	0,1425
60	1529	17	10	0,0089	0,1512
64	1630	19	10	0,0085	0,1606
68	1730	19	10	0,0090	0,1706

CALSIUM SILICATE BOARD

SLAB

300 x 610 mm	11 Pcs / Ctn	0,0092
150 x 610 mm	22 Pcs / Ctn	0,0046

Note: Highlighted size is not available due to several reasons.



PT. TALI REJEKI

Jl. Raya Tarumajaya RT.001 RW.029
Dusun III No.11 Desa Setia Asih
Kec. Tarumajaya, Kab. Bekasi 17215

SOUND PROOFING & INSULATION

Specialist

Telp : 021 29470622 / 22889956
Fax : 021 29470622
Email : talirejeki@gmail.com

Starting July 2025 **CALSIUM SILICATE PIPE**

LENGTH = 610 mm

PIPE		60 MM THICK			
NSP (IN)	INTDIA (MM)	PC/SET	PC/CTN	M ³ /PC	M ³ /SET
1/4	16	2	16	0,0044	0,0087
3/4	28	2	15	0,0051	0,0101
1	35	2	14	0,0055	0,0109
1 1/4	44	2	14	0,0060	0,0120
1 1/2	50	2	14	0,0063	0,0126
2	62	2	10	0,0070	0,0140
2 1/2	77	2	9	0,0079	0,0158
3	90	2	8	0,0086	0,0172
3 1/2	103	2	8	0,0094	0,0187
4	115	2	7	0,0101	0,0201
5	143	2	6	0,0117	0,0233
5 1/2	155	2	5/6	0,0124	0,0247
6	171	3	8	0,0089	0,0266
7	196	3	7	0,0098	0,0294
8	222	3	7	0,0108	0,0324
9	246	4	7	0,0088	0,0352
10	275	4	8	0,0096	0,0385
11	300	4	7	0,0104	0,0414
12	327	5	7	0,0089	0,0445
13	339	6	8	0,0077	0,0459
14	358	5	8	0,0096	0,0481
14 1/2	370	5	8	0,0099	0,0494
15	384	5	8	0,0102	0,0511
16	409	5	8	0,0108	0,0539
17	435	6	8	0,0095	0,0569
18	460	6	8	0,0100	0,0598
19	486	6	8	0,0105	0,0628
20	511	7	8	0,0094	0,0657
22	562	7	8	0,0102	0,0715
23	588	7	8	0,0106	0,0745
24	613	8	8	0,0097	0,0774
30	766	9	8	0,0106	0,0950

CALSIUM SILICATE BOARD SLAB

300 x 610 mm	9 Pcs / Ctn	0,0110
150 x 610 mm	18 Pcs / Ctn	0,0055

Note: Highlighted size is not available due to several reasons.



PT. TALI REJEKI

Jl. Raya Tarumajaya RT.001 RW.029
Dusun III No.11 Desa Setia Asih
Kec. Tarumajaya, Kab. Bekasi 17215

SOUND PROOFING & INSULATION

Specialist

Telp : 021 29470622 / 22889956
Fax : 021 29470622
Email : talirejeki@gmail.com

Starting July 2025

CALSIUM SILICATE PIPE

LENGTH = 610 mm

PIPE		65 MM THICK			
NPS (IN)	INTDIA (MM)	PC/SET	PC/CTN	M3/PC	M3/SET
¼	16	2	16	0,0051	0,0101
½	23	2	14	0,0055	0,0110
¾	28	2	14	0,0058	0,0116
1	35	2	14	0,0063	0,0125
1¼	44	2	11	0,0068	0,0136
1½	50	2	11	0,0072	0,0143
2	62	2	10	0,0079	0,0158
2½	77	2	9	0,0089	0,0177
3	90	2	7	0,0097	0,0193
3½	103	2	7	0,0105	0,0209
4	115	2	6	0,0112	0,0224
4½	128	2	6	0,0120	0,0240
5	143	2	6	0,0130	0,0259
5½	155	3	8	0,0091	0,0274
6	171	3	8	0,0098	0,0294
7	196	3	6	0,0108	0,0325
8	222	3	6	0,0119	0,0357
9	246	3	5	0,0129	0,0387
10	275	4	7	0,0106	0,0424
11	300	4	6	0,0114	0,0455
12	327	5	7	0,0098	0,0488
13	339	5	7	0,0101	0,0503
14	358	5	7	0,0105	0,0527
15	384	5	7	0,0112	0,0559
16	409	6	8	0,0098	0,0590
17	435	6	7	0,0104	0,0623
18	460	6	7	0,0109	0,0654
19	486	7	7	0,0098	0,0686
19½	492	7	7	0,0099	0,0694
20	511	7	8	0,0102	0,0717
22	562	7	8	0,0112	0,0781
23	588	7	7	0,0116	0,0813
24	613	8	8	0,0106	0,0845
25	639	8	8	0,0111	0,0887
26	664	8	8	0,0114	0,0908
27	689	9	8	0,0104	0,0939
28	715	9	8	0,0108	0,0972



PT. TALI REJEKI

Jl. Raya Tarumajaya RT.001 RW.029
Dusun III No.11 Desa Setia Asih
Kec. Tarumajaya, Kab. Bekasi 17215

SOUND PROOFING & INSULATION

Specialist

Telp : 021 29470622 / 22889956
Fax : 021 29470622
Email : talirejeki@gmail.com

Starting July 2025

CALSIUM SILICATE PIPE

LENGTH = 610 mm

PIPE		65 MM THICK			
NPS (IN)	INTDIA (MM)	PC/SET	PC/CTN	M3/PC	M3/SET
30	766	9	8	0,0115	0,1035
32	817	10	8	0,0110	0,1098
34	868	11	8	0,0106	0,1162
36	919	11	8	0,0111	0,1226
38	970	12	8	0,0107	0,1289
40	1022	12	8	0,0113	0,1354
42	1073	12	7	0,0118	0,1418
48	1230	14	8	0,0115	0,1613
52	1360	15	8	0,0118	0,1775
54	1382	16	8	0,0113	0,1802

CALSIUM SILICATE BOARD SLAB

300 x 610 mm	8 Pcs / Ctn	0,0119
150 x 610 mm	16 Pcs / Ctn	0,0059

Note: Highlighted size is not available due to several reasons.



PT. TALI REJEKI

Jl. Raya Tarumajaya RT.001 RW.029
Dusun III No.11 Desa Setia Asih
Kec. Tarumajaya, Kab. Bekasi 17215

SOUND PROOFING & INSULATION

Specialist

Telp : 021 29470622 / 22889956
Fax : 021 29470622
Email : talirejeki@gmail.com

Starting July 2025

CALSIUM SILICATE PIPE

LENGTH = 610 mm

PIPE		70 MM THICK			
NSP (IN)	INTDIA (MM)	PC/SET	PC/CTN	M ³ /PC	M ³ /SET
¾	28	2	13	0,0066	0,0131
1	35	2	12	0,0071	0,0141
1¼	44	2	11	0,0077	0,0153
1½	50	2	10	0,0081	0,0161
2	62	2	9	0,0089	0,0177
2½	77	2	8	0,0099	0,0197
3	90	2	7	0,0108	0,0215
4	115	2	6	0,0124	0,0248
5	143	2	5	0,0143	0,0286
6	171	3	7	0,0108	0,0323
7	196	3	6	0,0119	0,0357
8	222	4	6	0,0098	0,0392
9	246	4	6	0,0106	0,0424
10	275	4	6	0,0116	0,0463
11	300	5	7	0,0099	0,0496
12	327	5	7	0,0107	0,0533
18	460	6	6	0,0119	0,0711
20	511	7	7	0,0111	0,0779
24½	626	8	7	0,0117	0,0934
27	689	9	7	0,0113	0,1018
30	766	9	7	0,0125	0,1121
36	919	11	7	0,0121	0,1326

CALSIUM SILICATE BOARD

SLAB

300 x 610 mm	8 Pcs / Ctn	0,0128
150 x 610 mm	16 Pcs / Ctn	0,0064

Note: Highlighted size is not available due to several reasons.



PT. TALI REJEKI

Jl. Raya Tarumajaya RT.001 RW.029
Dusun III No.11 Desa Setia Asih
Kec. Tarumajaya, Kab. Bekasi 17215

SOUND PROOFING & INSULATION

Specialist

Telp : 021 29470622 / 22889956
Fax : 021 29470622
Email : talirejeki@gmail.com

Starting July 2025

CALSIUM SILICATE PIPE

LENGTH = 610 mm

PIPE		75 MM THICK			
NPS (IN)	INTDIA (MM)	PC/SET	PC/CTN	M3/PC	M3/SET
¼	16	2	12	0,0066	0,0131
½	23	2	12	0,0071	0,0141
¾	28	2	11	0,0074	0,0148
1	35	2	10	0,0079	0,0158
1¼	44	2	9	0,0086	0,0171
1½	50	2	9	0,0090	0,0180
2	62	2	8	0,0099	0,0197
2½	77	2	7	0,0109	0,0218
3	90	2	6	0,0119	0,0237
3½	103	2	6	0,0128	0,0256
4	115	2	5	0,0137	0,0273
4½	128	2	4	0,0146	0,0292
5	143	2	4	0,0157	0,0313
5½	155	3	6	0,0110	0,0331
6	171	3	6	0,0118	0,0354
7	196	3	5	0,0130	0,0390
8	222	4	6	0,0107	0,0427
9	246	4	6	0,0115	0,0461
10	275	4	6	0,0126	0,0503
11	300	5	6	0,0108	0,0539
12	327	5	6	0,0116	0,0578
13	339	5	6	0,0119	0,0595
14	358	5	6	0,0124	0,0622
15	384	6	6	0,0110	0,0660
16	409	6	6	0,0116	0,0696
17	435	6	6	0,0122	0,0733
18	460	6	6	0,0128	0,0769
19	486	7	6	0,0115	0,0806
20	511	7	7	0,0120	0,0842
22	562	8	7	0,0115	0,0916
23	588	8	7	0,0119	0,0953
24	613	8	7	0,0124	0,0989
25	639	8	7	0,0128	0,1026
26	664	9	7	0,0118	0,1062
27	689	9	7	0,0122	0,1098
28	715	9	7	0,0126	0,1135
30	766	9	7	0,0134	0,1209



PT. TALI REJEKI

Jl. Raya Tarumajaya RT.001 RW.029
Dusun III No.11 Desa Setia Asih
Kec. Tarumajaya, Kab. Bekasi 17215

SOUND PROOFING & INSULATION

Specialist

Telp : 021 29470622 / 22889956
Fax : 021 29470622
Email : talirejeki@gmail.com

Starting July 2025

CALSIUM SILICATE PIPE

LENGTH = 610 mm

PIPE		75 MM THICK			
NPS (IN)	INTDIA (MM)	PC/SET	PC/CTN	M3/PC	M3/SET
32	817	10	7	0,0128	0,1282
34	868	11	7	0,0123	0,1355
36	919	11	7	0,0130	0,1429
38	970	12	7	0,0125	0,1502
40	1022	12	7	0,0131	0,1576
42	1073	14	7	0,0118	0,1650
44	1124	13	7	0,0133	0,1723
46	1174	14	7	0,0128	0,1795
48	1230	15	7	0,0125	0,1876
52	1360	15	7	0,0137	0,2062
54	1382	16	7	0,0131	0,2094
64	1630	19	7	0,0129	0,2449

CALSIUM SILICATE BOARD SLAB

300 x 610 mm	7 Pcs / Ctn	0,0137
150 x 610 mm	14 Pcs / Ctn	0,0069
150 x 610 x	12 Pcs / Ctn	0,0082

Note: Highlighted size is not available due to several reasons.